



Rite Aid Corporation (852) Product Activity Data Distribution Center

Version 005010

Functional Group ID=**PD**

Introduction:

This X12 Transaction Set contains the format and establishes the data contents of the Product Activity Data Transaction Set (852) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to advise a trading partner of inventory, sales, and other product activity information. Product activity data enables a trading partner to plan and ship, or propose inventory replenishment quantities, for distribution centers, warehouses or retail outlets. The receiver of the transaction set will maintain some type of inventory/product movement records for its trading partners to enable replenishment calculations based on data provided by the distributor, warehouse or retailer.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	0050	ISA	Interchange Control Header	M	1		
M	0075	GS	Functional Group Header	M	1		
M	0100	ST	Transaction Set Header	M	1		
M	0200	XQ	Reporting Date/Action	M	1		
						LOOP ID - N1	200
M	0600	N1	Party Identification	M	1		n1
						LOOP ID - N1	200
M	0600	N1	Party Identification	M	1		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
						LOOP ID - LIN	999999
M	0100	LIN	Item Identification	M	1		
M	0400	N9	Extended Reference Information	M	>1		
						LOOP ID - ZA	>1
M	0800	ZA	Product Activity Reporting	M	1		n2
M	1100	SDQ	Destination Quantity	M	>1		

Summary:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
Must Use	0100	CTT	Transaction Totals	O	1		n3
M	0200	SE	Transaction Set Trailer	M	1		
M	0300	GE	Functional Group Trailer	M	1		
M	0400	IEA	Interchange Control Trailer	M	1		

Transaction Set Notes

1. The reporting location is required. The reporting location is specified explicitly in the N1 segment using the code RL in N101, or implicitly using the SDQ segment (Table 2) with the location data elements. They are mutually exclusive (the SDQ and the N1 with N101 containing RL).
2. The quantity for the item identified in the LIN segment is required. Quantity is specified either in the ZA segment (ZA02) or in the SDQ segment.
3. The number of line items (CTT01) is the accumulation of the number of LIN segments. Hash total (CTT02) is not used in this transaction set.
When sending item and activity data in the LIN loop, the CTT segment is required.

Segment: **ISA** Interchange Control Header
Position: 0050
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

Syntax Notes:

Notes: ISA*00* *00* *01*014578892 *01*RECEIVER
*091007*1707*<*00501*000000001*0*P*>~

Data Element Summary

Ref.	Data	Data Element Summary		Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>		
M	ISA01	I01	Authorization Information Qualifier Code identifying the type of information in the Authorization Information 00 No Authorization Information Present (No Meaningful Information in I02)	M 1 ID 2/2
M	ISA02	I02	Authorization Information Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)	M 1 AN 10/10
M	ISA03	I03	Security Information Qualifier Code identifying the type of information in the Security Information 00 No Security Information Present (No Meaningful Information in I04)	M 1 ID 2/2
M	ISA04	I04	Security Information This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)	M 1 AN 10/10
M	ISA05	I05	Interchange ID Qualifier Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified 01 Duns (Dun & Bradstreet)	M 1 ID 2/2
M	ISA06	I06	Interchange Sender ID Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element 014578892 Rite Aid Duns Number	M 1 AN 15/15
M	ISA07	I05	Interchange ID Qualifier Code indicating the system/method of code structure used to designate the sender or receiver ID element being qualified Refer to 005010 Data Element Dictionary for acceptable code values.	M 1 ID 2/2
M	ISA08	I07	Interchange Receiver ID Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them	M 1 AN 15/15

M	ISA09	I08	Interchange Date Date of the interchange	M	1	DT 6/6
M	ISA10	I09	Interchange Time Time of the interchange	M	1	TM 4/4
M	ISA11	I65	Repetition Separator Type is not applicable; the repetition separator is a delimiter and not a data element; this field provides the delimiter used to separate repeated occurrences of a simple data element or a composite data structure; this value must be different than the data element separator, component element separator, and the segment terminator As of ASC X12, version 004030, a repetition separator is required in ISA11. The repetition separator must be non-alphabetic, non-numeric, and not located within data.	M	1	AN 1/1
M	ISA12	I11	Interchange Control Version Number Code specifying the version number of the interchange control segments 00501 Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003	M	1	ID 5/5
M	ISA13	I12	Interchange Control Number A control number assigned by the interchange sender	M	1	NO 9/9
M	ISA14	I13	Acknowledgment Requested Code indicating sender's request for an interchange acknowledgment 0 No Interchange Acknowledgment Requested	M	1	ID 1/1
M	ISA15	I14	Interchange Usage Indicator Code indicating whether data enclosed by this interchange envelope is test, production or information P Production Data	M	1	ID 1/1
M	ISA16	I15	Component Element Separator Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator Subelement Separator > Element Separator * Segment Terminator ~	M	1	AN 1/1

Segment: **GS** Functional Group Header
Position: 0075
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the beginning of a functional group and to provide control information
Syntax Notes:

Data Element Summary

Ref.	Data Element	Name	Attributes
M	GS01	Functional Identifier Code	M 1 ID 2/2
	479	Code identifying a group of application related transaction sets PD Product Activity Data (852)	

M	GS02	142	Application Sender's Code Code identifying party sending transmission; codes agreed to by trading partners 014578892 Rite Aid's Duns Number	M	1	AN 2/15
M	GS03	124	Application Receiver's Code Code identifying party receiving transmission; codes agreed to by trading partners	M	1	AN 2/15
M	GS04	373	Date Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year	M	1	DT 8/8
M	GS05	337	Time Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)	M	1	TM 4/8
M	GS06	28	Group Control Number Assigned number originated and maintained by the sender	M	1	NO 1/9
M	GS07	455	Responsible Agency Code Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480 X Accredited Standards Committee X12	M	1	ID 1/2
M	GS08	480	Version / Release / Industry Identifier Code Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed 005010 Standards Approved for Publication by ASC X12 Procedures Review Board through October 2003	M	1	AN 1/12

Segment: **ST** Transaction Set Header
Position: 0100
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:

Data Element Summary

	Ref.	Data		
	<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set 852 Product Activity Data	M 1 ID 3/3
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M 1 AN 4/9

Segment: XQ Reporting Date/Action
Position: 0200
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To specify reporting dates, actions to be taken and an identifying number
Syntax Notes:
Notes: XQ*H*20070510~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	XQ01	305	Transaction Handling Code Code designating the action to be taken by all parties H Notification Only	M 1 ID 1/2
M	XQ02	373	Date Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year Reporting Date	M 1 DT 8/8

Segment: N1 Party Identification
Position: 0600
Loop: N1 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Notes: N1*BU*RITE AID HDQTRS. CORP.*1*014578892~

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	N101	98	Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual BU Place of Business	M 1 ID 2/3
M	N102	93	Name Free-form name RITE AID HDQTRS. CORP	M 1 AN 1/60
M	N103	66	Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 1 D-U-N-S Number, Dun & Bradstreet 92 Assigned by Buyer or Buyer's Agent	M 1 ID 1/2
M	N104	67	Identification Code Code identifying a party or other code 014578892 Rite Aid's Duns Number	M 1 AN 2/80

Segment: **N1** Party Identification
Position: 0600
Loop: N1 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes: 1 At least one of N102 or N103 is required.
 2 If either N103 or N104 is present, then the other is required.
Notes: N1*VN**92*54321~

The N104 is Rite Aid's internal vendor number for your company. When calling Rite Aid, this number should be provided as a reference number.

Data Element Summary

Ref.	Data Element	Name	Attributes
M	N101	98 Entity Identifier Code Code identifying an organizational entity, a physical location, property or an individual VN Vendor	M 1 ID 2/3
	N102	93 Name Free-form name	X 1 AN 1/60
M	N103	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 92 Assigned by Buyer or Buyer's Agent	M 1 ID 1/2
M	N104	67 Identification Code Code identifying a party or other code Vendor Number Assigned by Rite Aid	M 1 AN 2/80

Segment: **LIN** Item Identification
Position: 0100
Loop: LIN Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To specify basic item identification data
Syntax Notes: 1 If either LIN04 or LIN05 is present, then the other is required.
 2 If either LIN06 or LIN07 is present, then the other is required.
 3 If either LIN08 or LIN09 is present, then the other is required.
 4 If either LIN10 or LIN11 is present, then the other is required.
 5 If either LIN12 or LIN13 is present, then the other is required.
 6 If either LIN14 or LIN15 is present, then the other is required.

Notes: LIN**UI*03456701234*IN*0034567~

Data Element Summary

Ref.	Data Element	Name	Attributes
M	LIN02	235 Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) UA U.P.C./EAN Case Code (2-5-5) UI U.P.C. Consumer Package Code (1-5-5) VN Vendor's (Seller's) Item Number	M 1 ID 2/2

M	LIN03	234	Product/Service ID Identifying number for a product or service	M	1	AN 1/48
M	LIN04	235	Product/Service ID Qualifier Code identifying the type/source of the descriptive number used in Product/Service ID (234) IN Buyer's Item Number	M	1	ID 2/2
M	LIN05	234	Product/Service ID Identifying number for a product or service	M	1	AN 1/48

Segment: **N9** **Extended Reference Information**
Position: 0400
Loop: LIN Mandatory
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

- Syntax Notes:**
- 1 At least one of N902 or N903 is required.
 - 2 If N906 is present, then N905 is required.
 - 3 If either C04003 or C04004 is present, then the other is required.
 - 4 If either C04005 or C04006 is present, then the other is required.

Notes: N9*82**ACCU-CHEK CMPT STR 102CT~

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
M	N901	128 Reference Identification Qualifier Code qualifying the Reference Identification 82 Data Item Description (DID) Reference Specific data elements that the government will ask a contractor to provide and are spelled out in specific requirement documents	M 1 ID 2/3
M	N903	369 Free-form Description Free-form descriptive text	M 1 AN 1/45

Segment: **ZA** **Product Activity Reporting**
Position: 0800
Loop: ZA Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To provide activity details concerning product being reported

Syntax Notes:

- 1 If either ZA02 or ZA03 is present, then the other is required.
- 2 If either ZA04 or ZA05 is present, then the other is required.
- 3 If either ZA06 or ZA07 is present, then the other is required.

Notes: ZA*QA~

Data Element Summary

Ref. Des.	Data Element	Name	Attributes
M	ZA01	859 Activity Code Code identifying activity details for the product being reported QA Current Inventory Quantity Available for Shipment or Sale Indicates the quantity currently available to be sold or shipped	M 1 ID 2/2

QO	Quantity Out of Stock
QP	Quantity On Order, Not Yet Received
	Total quantity expected to be received from supplier for current reporting period, but not yet received
QS	Quantity Sold

Segment: **SDQ** Destination Quantity
Position: 1100
Loop: ZA Mandatory
Level: Detail
Usage: Mandatory
Max Use: >1
Purpose: To specify destination and quantity detail
Syntax Notes:

- 1 If either SDQ05 or SDQ06 is present, then the other is required.
- 2 If either SDQ07 or SDQ08 is present, then the other is required.
- 3 If either SDQ09 or SDQ10 is present, then the other is required.
- 4 If either SDQ11 or SDQ12 is present, then the other is required.
- 5 If either SDQ13 or SDQ14 is present, then the other is required.
- 6 If either SDQ15 or SDQ16 is present, then the other is required.
- 7 If either SDQ17 or SDQ18 is present, then the other is required.
- 8 If either SDQ19 or SDQ20 is present, then the other is required.
- 9 If either SDQ21 or SDQ22 is present, then the other is required.

Notes: More than one SDQ segment may be sent for each type of product activity sent in a ZA segment.

Data Element Summary

Ref.	Data	Attributes	
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	SDQ01	355 Unit or Basis for Measurement Code Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken EA Each	M 1 ID 2/2
M	SDQ02	66 Identification Code Qualifier Code designating the system/method of code structure used for Identification Code (67) 92 Assigned by Buyer or Buyer's Agent	M 1 ID 1/2
M	SDQ03	67 Identification Code Code identifying a party or other code	M 1 AN 2/80
M	SDQ04	380 Quantity Numeric value of quantity	M 1 R 1/15
	SDQ05	67 Identification Code Code identifying a party or other code	X 1 AN 2/80
	SDQ06	380 Quantity Numeric value of quantity	X 1 R 1/15
	SDQ07	67 Identification Code Code identifying a party or other code	X 1 AN 2/80
	SDQ08	380 Quantity Numeric value of quantity	X 1 R 1/15
	SDQ09	67 Identification Code Code identifying a party or other code	X 1 AN 2/80
	SDQ10	380 Quantity Numeric value of quantity	X 1 R 1/15
	SDQ11	67 Identification Code Code identifying a party or other code	X 1 AN 2/80
	SDQ12	380 Quantity Numeric value of quantity	X 1 R 1/15
	SDQ13	67 Identification Code Code identifying a party or other code	X 1 AN 2/80
	SDQ14	380 Quantity	X 1 R 1/15

		Numeric value of quantity			
SDQ15	67	Identification Code		X	1 AN 2/80
		Code identifying a party or other code			
SDQ16	380	Quantity		X	1 R 1/15
		Numeric value of quantity			
SDQ17	67	Identification Code		X	1 AN 2/80
		Code identifying a party or other code			
SDQ18	380	Quantity		X	1 R 1/15
		Numeric value of quantity			
SDQ19	67	Identification Code		X	1 AN 2/80
		Code identifying a party or other code			
SDQ20	380	Quantity		X	1 R 1/15
		Numeric value of quantity			
SDQ21	67	Identification Code		X	1 AN 2/80
		Code identifying a party or other code			
SDQ22	380	Quantity		X	1 R 1/15
		Numeric value of quantity			

Segment: **CTT** Transaction Totals
Position: 0100
Loop:
Level: Summary
Usage: Optional (Must Use)
Max Use: 1
Purpose: To transmit a hash total for a specific element in the transaction set
Syntax Notes: 1 If either CTT03 or CTT04 is present, then the other is required.
2 If either CTT05 or CTT06 is present, then the other is required.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	CTT01	354	Number of Line Items Total number of line items in the transaction set	M 1 NO 1/6

Segment: **SE** Transaction Set Trailer
Position: 0200
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Syntax Notes:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	SE01	96	Number of Included Segments Total number of segments included in a transaction set including ST and SE segments	M 1 NO 1/10
M	SE02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M 1 AN 4/9

Segment: **GE** Functional Group Trailer
Position: 0300
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of a functional group and to provide control information
Syntax Notes:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	GE01	97	Number of Transaction Sets Included Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element	M 1 NO 1/6
M	GE02	28	Group Control Number Assigned number originated and maintained by the sender	M 1 NO 1/9

Segment: **IEA** Interchange Control Trailer
Position: 0400
Loop:
Level: Summary
Usage: Mandatory
Max Use: 1
Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments
Syntax Notes:

Data Element Summary

	<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
M	IEA01	I16	Number of Included Functional Groups A count of the number of functional groups included in an interchange	M 1 NO 1/5
M	IEA02	I12	Interchange Control Number A control number assigned by the interchange sender	M 1 NO 9/9

Sample Data

ISA*00* *00* *01*014578892T *01*RECEIVER
*110408*145
8*<*00501*000001386*0*P*^~
GS*PD*014578892*RECEIVER*20110408*1458*50514*X*005010~
ST*852*000010463~
XQ*H*20110408~
N1*BU*RITE AID HDQTRS. CORP.*1*014578892~
N1*VN**92*34092~
LIN**UI*07553759884*IN*0310945~
N9*82**ACCU-CHEK CMPT STR 102CT~
ZA*QA~
SDQ*EA*92*00010*1337*00035*207*00055*849*00081*741~
ZA*QP~
SDQ*EA*92*00010*1440*00035*96*00081*480~
ZA*QS~
SDQ*EA*92*00010*134*00035*21*00055*66*00081*34~
LIN**UI*07553700971*IN*0313920~
N9*82**SOFTCLIX LANCETS 100 S!!M~
ZA*QA~
SDQ*EA*92*00010*975*00035*204*00055*534*00081*420~
ZA*QP~
SDQ*EA*92*00010*576*00035*192*00055*192*00081*192~
ZA*QS~
SDQ*EA*92*00010*152*00035*6*00055*45*00081*25~
LIN**UI*36570210110*IN*0323433~
N9*82**ACCU-CHEK AVIVA METER~
ZA*QA~
SDQ*EA*92*00010*1114*00035*142*00055*438*00081*773~
ZA*QS~
SDQ*EA*92*00010*45*00035*11*00055*20*00081*19~
LIN**UI*36570210310*IN*0324477~
N9*82**ACCU-CHEK AVIVA STRP 50CT~
ZA*QA~
SDQ*EA*92*00010*2402*00035*313*00055*584*00081*765~
ZA*QP~
SDQ*EA*92*00010*864*00035*144*00055*396*00081*936~
ZA*QS~
SDQ*EA*92*00010*189*00035*26*00055*55*00081*88~
LIN**UI*36570210410*IN*0325335~
N9*82**ACCU-CHEK AVIVA STRP 100CT~
ZA*QA~
SDQ*EA*92*00010*2869*00035*495*00055*1955*00081*1627~
ZA*QP~
SDQ*EA*92*00010*648*00035*216*00055*648*00081*1296~
ZA*QS~
SDQ*EA*92*00010*339*00035*28*00055*179*00081*117~
LIN**UI*07553745097*IN*0325368~
N9*82**MULTICLIX LANCETS 102CT~
ZA*QA~
SDQ*EA*92*00010*1775*00035*309*00055*367*00081*768~
ZA*QP~
SDQ*EA*92*00055*864*00081*432~
ZA*QS~
SDQ*EA*92*00010*164*00035*14*00055*61*00081*59~
LIN**UI*07553731463*IN*0331240~
N9*82**ACCU-CHEK ACTV STR 50CT~
ZA*QA~
SDQ*EA*92*00010*1017*00035*79*00055*204*00081*251~
ZA*QP~
SDQ*EA*92*00035*48*00055*96*00081*120~

ZA*QS~
 SDQ*EA*92*00010*84*00035*6*00055*18*00081*8~
 LIN**UI*07553749070*IN*0331242~
 N9*82**ACCU-CHEK CMPT PLUS METER~
 ZA*QA~
 SDQ*EA*92*00010*289*00035*60*00055*83*00081*179~
 ZA*QP~
 SDQ*EA*92*00010*88*00035*8*00055*24*00081*48~
 ZA*QS~
 SDQ*EA*92*00010*19*00035*3*00055*14*00081*6~
 LIN**UI*07553747419*IN*0331243~
 N9*82**ACCU-CHEK CMPT STR 51CT~
 ZA*QA~
 SDQ*EA*92*00010*941*00035*143*00055*415*00081*492~
 ZA*QP~
 SDQ*EA*92*00010*288*00035*48~
 ZA*QS~
 SDQ*EA*92*00010*67*00035*2*00055*21*00081*33~
 LIN**UI*07553730381*IN*0387169~
 N9*82**ACCU-CHEK CMF CURVE 100CT~
 ZA*QA~
 SDQ*EA*92*00010*960*00035*72*00055*522*00081*417~
 ZA*QP~
 SDQ*EA*92*00010*576*00035*48*00081*576~
 ZA*QS~
 SDQ*EA*92*00010*96*00035*3*00055*40*00081*40~
 CTT*10~
 SE*84*000010463~
 GE*1*50514~
 IEA*1*000001386~

General Comments

- “Rite Aid’s DUNS+4 /Distribution Centers: The link contained in these guidelines will provide listing of all Rite Aid DC ship-to-locations addresses and phone number , DEA number, DUNS+4 number and preferred LTL carrier. Also indicated if applicable will be any satellite location of the primary DC ” DC listings can be downloaded at <http://www.riteaidediservices.com/distribution-centers/>

Guidelines for Functional Acknowledgements

- Upon receipt of any EDI transaction, the receiving partner shall promptly and properly transmit a Functional Acknowledgement (ANSI ASC X12 997).
- Rite Aid expects that trading partners pick up on a daily basis and acknowledge by returning the Functional Acknowledgement within 24 hours of the time Rite Aid transmitted the original document.
- The receiving partner is expected to monitor and review all 997s for errors that may require attention.

